

```
1 #Region ### START Koda GUI section ### Form=c:\users\papa\skydrive\documents\scripts\autoit\calcullette st12d\macalcullette.kxf
2 $MaCalcullette = GUICreate("Ma calcullette ST12D", 311, 353, -1, -1)
3 GUISetFont(12, 400, 0, "MS Sans Serif")
4 GUISetOnEvent($GUI_EVENT_CLOSE, "MaCalculletteClose")
5 GUISetOnEvent($GUI_EVENT_MINIMIZE, "MaCalculletteMinimize")
6 GUISetOnEvent($GUI_EVENT_MAXIMIZE, "MaCalculletteMaximize")
7 GUISetOnEvent($GUI_EVENT_RESTORE, "MaCalculletteRestore")
8 $Afficheur = GUICtrlCreateInput("0", 6, 19, 302, 32, BitOR($GUI_SS_DEFAULT_INPUT,$ES_RIGHT))
9 GUICtrlSetFont(-1, 14, 400, 0, "MS Sans Serif")
10 GUICtrlSetColor(-1, 0xFF0000)
11 GUICtrlSetOnEvent(-1, "AfficheurChange")
12 GUICtrlSetState(-1, $GUI_DISABLE)
13 $Tab1 = GUICtrlCreateTab(6, 64, 302, 287)
14 GUICtrlSetOnEvent(-1, "Tab1Change")
15 $TabSheet1 = GUICtrlCreateTabItem("Calculatrice")
16 $BtnCalCE = GUICtrlCreateButton("CE", 15, 115, 65, 32)
17 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Srif")
18 GUICtrlSetCursor (-1, 0)
19 GUICtrlSetOnEvent(-1, "BtnCalCEClick")
20 $BtnCalBack = GUICtrlCreateButton("<--", 87, 115, 65, 32)
21 GUICtrlSetFont(-1, 12, 800, 0, "Symbol")
22 GUICtrlSetCursor (-1, 0)
23 GUICtrlSetOnEvent(-1, "BtnCalBackClick")
24 $BtnCall100 = GUICtrlCreateButton("%", 231, 193, 65, 32)
25 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
26 GUICtrlSetCursor (-1, 0)
27 GUICtrlSetOnEvent(-1, "BtnCall100Click")
28 $BtnCalPlus = GUICtrlCreateButton("+", 15, 154, 65, 32)
29 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
30 GUICtrlSetCursor (-1, 0)
31 GUICtrlSetOnEvent(-1, "BtnCalPlusClick")
32 $BtnCal7 = GUICtrlCreateButton("7", 15, 193, 65, 32)
33 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
34 GUICtrlSetCursor (-1, 0)
35 GUICtrlSetOnEvent(-1, "BtnCal7Click")
36 $BtnCal8 = GUICtrlCreateButton("8", 87, 193, 65, 32)
37 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
38 GUICtrlSetCursor (-1, 0)
39 GUICtrlSetOnEvent(-1, "BtnCal8Click")
40 $BtnCal9 = GUICtrlCreateButton("9", 159, 193, 65, 32)
41 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
42 GUICtrlSetCursor (-1, 0)
43 GUICtrlSetOnEvent(-1, "BtnCal9Click")
44 $BtnCalMoins = GUICtrlCreateButton("-", 87, 154, 65, 32)
45 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
46 GUICtrlSetCursor (-1, 0)
47 GUICtrlSetOnEvent(-1, "BtnCalMoinsClick")
48 $BtnCal4 = GUICtrlCreateButton("4", 15, 232, 65, 32)
49 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
50 GUICtrlSetCursor (-1, 0)
51 GUICtrlSetOnEvent(-1, "BtnCal4Click")
52 $BtnCal5 = GUICtrlCreateButton("5", 87, 232, 65, 32)
53 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
54 GUICtrlSetCursor (-1, 0)
55 GUICtrlSetOnEvent(-1, "BtnCal5Click")
56 $BtnCal6 = GUICtrlCreateButton("6", 159, 232, 65, 32)
57 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
58 GUICtrlSetCursor (-1, 0)
59 GUICtrlSetOnEvent(-1, "BtnCal6Click")
60 $BtnCalMulti = GUICtrlCreateButton("x", 159, 154, 65, 32)
61 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
62 GUICtrlSetCursor (-1, 0)
63 GUICtrlSetOnEvent(-1, "BtnCalMultiClick")
64 $BtnCall1 = GUICtrlCreateButton("1", 15, 271, 65, 32)
65 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
66 GUICtrlSetCursor (-1, 0)
67 GUICtrlSetOnEvent(-1, "BtnCall1Click")
68 $BtnCal2 = GUICtrlCreateButton("2", 87, 271, 65, 32)
69 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
70 GUICtrlSetCursor (-1, 0)
71 GUICtrlSetOnEvent(-1, "BtnCal2Click")
72 $BtnCal3 = GUICtrlCreateButton("3", 159, 271, 65, 32)
73 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
74 GUICtrlSetCursor (-1, 0)
75 GUICtrlSetOnEvent(-1, "BtnCal3Click")
76 $BtnCalDiv = GUICtrlCreateButton("÷", 231, 154, 65, 32)
77 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
78 GUICtrlSetCursor (-1, 0)
79 GUICtrlSetOnEvent(-1, "BtnCalDivClick")
80 $BtnCal0 = GUICtrlCreateButton("0", 15, 310, 65, 32)
81 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
82 GUICtrlSetCursor (-1, 0)
83 GUICtrlSetOnEvent(-1, "BtnCal0Click")
84 $BtnInverse = GUICtrlCreateButton("±", 87, 310, 65, 32)
85 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
86 GUICtrlSetCursor (-1, 0)
87 GUICtrlSetOnEvent(-1, "BtnInverseClick")
88 $BtnCalVirgule = GUICtrlCreateButton(",", 159, 310, 65, 32)
89 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
90 GUICtrlSetCursor (-1, 0)
91 GUICtrlSetOnEvent(-1, "BtnCalVirguleClick")
92 $BtnCalEgal = GUICtrlCreateButton("=", 231, 232, 65, 110)
93 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
94 GUICtrlSetCursor (-1, 0)
95 GUICtrlSetOnEvent(-1, "BtnCalEgalClick")
96 $TabSheet2 = GUICtrlCreateTabItem("Convertisseur")
97 GUICtrlSetOnEvent(-1, "TabSheet2Click")
98 $BtnConvCE = GUICtrlCreateButton("CE", 15, 115, 65, 32)
99 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
100 GUICtrlSetCursor (-1, 0)
101 GUICtrlSetOnEvent(-1, "BtnConvCEClick")
102 $BtnConvBack = GUICtrlCreateButton("<--", 87, 115, 65, 32)
103 GUICtrlSetFont(-1, 12, 800, 0, "Symbol")
104 GUICtrlSetCursor (-1, 0)
105 GUICtrlSetOnEvent(-1, "BtnConvBackClick")
106 $BtnConvA = GUICtrlCreateButton("A", 87, 310, 65, 32)
```

```
107 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
108 GUICtrlSetCursor (-1, 0)
109 GUICtrlSetOnEvent(-1, "BtnConvAClick")
110 $BtnConv7 = GUICtrlCreateButton("7", 15, 193, 65, 32)
111 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
112 GUICtrlSetCursor (-1, 0)
113 GUICtrlSetOnEvent(-1, "BtnConv7Click")
114 $BtnConv8 = GUICtrlCreateButton("8", 87, 193, 65, 32)
115 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
116 GUICtrlSetCursor (-1, 0)
117 GUICtrlSetOnEvent(-1, "BtnConv8Click")
118 $BtnConv9 = GUICtrlCreateButton("9", 159, 193, 65, 32)
119 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
120 GUICtrlSetCursor (-1, 0)
121 GUICtrlSetOnEvent(-1, "BtnConv9Click")
122 $BtnConvC = GUICtrlCreateButton("C", 231, 310, 65, 32)
123 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
124 GUICtrlSetCursor (-1, 0)
125 GUICtrlSetOnEvent(-1, "BtnConvCClick")
126 $BtnConvD = GUICtrlCreateButton("D", 231, 271, 65, 32)
127 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
128 GUICtrlSetCursor (-1, 0)
129 GUICtrlSetOnEvent(-1, "BtnConvDClick")
130 $BtnConv6 = GUICtrlCreateButton("6", 159, 232, 65, 32)
131 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
132 GUICtrlSetCursor (-1, 0)
133 GUICtrlSetOnEvent(-1, "BtnConv6Click")
134 $BtnConv5 = GUICtrlCreateButton("5", 87, 232, 65, 32)
135 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
136 GUICtrlSetCursor (-1, 0)
137 GUICtrlSetOnEvent(-1, "BtnConv5Click")
138 $BtnConv4 = GUICtrlCreateButton("4", 15, 232, 65, 32)
139 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
140 GUICtrlSetCursor (-1, 0)
141 GUICtrlSetOnEvent(-1, "BtnConv4Click")
142 $BtnConv1 = GUICtrlCreateButton("1", 15, 271, 65, 32)
143 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
144 GUICtrlSetCursor (-1, 0)
145 GUICtrlSetOnEvent(-1, "BtnConv1Click")
146 $BtnConv2 = GUICtrlCreateButton("2", 87, 271, 65, 32)
147 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
148 GUICtrlSetCursor (-1, 0)
149 GUICtrlSetOnEvent(-1, "BtnConv2Click")
150 $BtnConv3 = GUICtrlCreateButton("3", 159, 271, 65, 32)
151 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
152 GUICtrlSetCursor (-1, 0)
153 GUICtrlSetOnEvent(-1, "BtnConv3Click")
154 $BtnConvE = GUICtrlCreateButton("E", 231, 232, 65, 32)
155 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
156 GUICtrlSetCursor (-1, 0)
157 GUICtrlSetOnEvent(-1, "BtnConvEClick")
158 $BtnConvF = GUICtrlCreateButton("F", 231, 193, 65, 32)
159 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
160 GUICtrlSetCursor (-1, 0)
161 GUICtrlSetOnEvent(-1, "BtnConvFClick")
162 $BtnConvB = GUICtrlCreateButton("B", 159, 310, 65, 32)
163 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans serif")
164 GUICtrlSetCursor (-1, 0)
165 GUICtrlSetOnEvent(-1, "BtnConvBClick")
166 $BtnConv0 = GUICtrlCreateButton("0", 15, 310, 65, 32)
167 GUICtrlSetFont(-1, 12, 400, 0, "MS Sans Serif")
168 GUICtrlSetCursor (-1, 0)
169 GUICtrlSetOnEvent(-1, "BtnConv0Click")
170 $Group1 = GUICtrlCreateGroup("Base", 160, 104, 136, 86)
171 GUICtrlSetFont(-1, 10, 400, 0, "MS Sans Serif")
172 $Radio1 = GUICtrlCreateRadio("Bin", 173, 130, 45, 13)
173 GUICtrlSetCursor (-1, 0)
174 GUICtrlSetOnEvent(-1, "Radio1Click")
175 $Radio2 = GUICtrlCreateRadio("Dec", 173, 162, 52, 13)
176 GUICtrlSetState(-1, $GUI_CHECKED)
177 GUICtrlSetCursor (-1, 0)
178 GUICtrlSetOnEvent(-1, "Radio2Click")
179 $Radio3 = GUICtrlCreateRadio("Oct", 230, 130, 59, 13)
180 GUICtrlSetCursor (-1, 0)
181 GUICtrlSetOnEvent(-1, "Radio3Click")
182 $Radio4 = GUICtrlCreateRadio("Hex", 230, 162, 59, 13)
183 GUICtrlSetCursor (-1, 0)
184 GUICtrlSetOnEvent(-1, "Radio4Click")
185 GUICtrlCreateGroup("", -99, -99, 1, 1)
186 GUICtrlCreateTabItem("")
187 GUICtrlSetCursor (-1, 0)
188 GUISetState(@SW_SHOW)
189 #EndRegion ### END Koda GUI section ###
```